

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16	((high with digital with subscriber with line) or HDSL) with ((embedded with operation with channel) or EOC)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 08:31
L2	1	((high with digital with subscriber with line) or HDSL) same ((embedded with operation with channel) or EOC) and hop\$4 with count\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 08:37
L3	1	((high with digital with subscriber with line) or HDSL) and ((embedded with operation with channel) or EOC) and hop\$4 with count\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 08:32
L4	15	((high with digital with subscriber with line) or HDSL) and hop\$4 with count\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 08:32
L5	3	((embedded with operation with channel) or EOC) and hop\$4 with count\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 08:38

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16	((high with digital with subscriber with line) or HDSL) with ((embedded with operation with channel) or EOC)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:38
L2	1	((high with digital with subscriber with line) or HDSL) same ((embedded with operation with channel) or EOC) and hop\$4 with count\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 08:37
L3	1	((high with digital with subscriber with line) or HDSL) and ((embedded with operation with channel) or EOC) and hop\$4 with count\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:26
L4	15	((high with digital with subscriber with line) or HDSL) and hop\$4 with count\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 08:32
L5	3	((embedded with operation with channel) or EOC) and hop\$4 with count\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 08:38
L6	1	((digital with subscriber with line) or \$2DSL) and ((embedded with operation with channel) or EOC) and hop\$4 with count\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:27
L7	114	((digital with subscriber with line) or \$2DSL) and hop\$4 with count\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:36
L8	1	((digital with subscriber with line) or \$2DSL) with hop\$4 with count\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:27
L9	2	((digital with subscriber with line) or \$2DSL) same hop\$4 with count\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:28
L10	8	((digital with subscriber with line) or \$2DSL) and compar\$3 with (hop\$4 with count\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:28
L11	1	((digital with subscriber with line) or \$2DSL) and (embedded with operation with channel) and hop\$4 with count\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:36

L12	114	((digital with subscriber with line) or \$2DSL) and hop\$4 with count\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:36
L13	1	((high with digital with subscriber with line) or HDSL) with (hop\$4 with count\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:39
L14	1	((high with digital with subscriber with line) or HDSL) same (hop\$4 with count\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:39
L15	15	((high with digital with subscriber with line) or HDSL) and (hop\$4 with count\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:41
L16	3	((embedded with operation with channel) or EOC) and (hop\$4 with count\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:41
L17	1	(embedded with operation with channel) and (hop\$4 with count\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:42

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16	((high with digital with subscriber with line) or HDSL) with ((embedded with operation with channel) or EOC)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:54
L2	1	((high with digital with subscriber with line) or HDSL) same ((embedded with operation with channel) or EOC) and hop\$4 with count\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 08:37
L3	1	((high with digital with subscriber with line) or HDSL) and ((embedded with operation with channel) or EOC) and hop\$4 with count\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:26
L4	15	((high with digital with subscriber with line) or HDSL) and hop\$4 with count\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 08:32
L5	3	((embedded with operation with channel) or EOC) and hop\$4 with count\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 08:38
L6	1	((digital with subscriber with line) or \$2DSL) and ((embedded with operation with channel) or EOC) and hop\$4 with count\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:27
L7	114	((digital with subscriber with line) or \$2DSL) and hop\$4 with count\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:36
L8	1	((digital with subscriber with line) or \$2DSL) with hop\$4 with count\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:27
L9	2	((digital with subscriber with line) or \$2DSL) same hop\$4 with count\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:28
L10	8	((digital with subscriber with line) or \$2DSL) and compar\$3 with (hop\$4 with count\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:28
L11	1	((digital with subscriber with line) or \$2DSL) and (embedded with operation with channel) and hop\$4 with count\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:36

L12	114	((digital with subscriber with line) or \$2DSL) and hop\$4 with count\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:36
L13	1	((high with digital with subscriber with line) or HDSL) with (hop\$4 with count\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:39
L14	1	((high with digital with subscriber with line) or HDSL) same (hop\$4 with count\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:39
L15	15	((high with digital with subscriber with line) or HDSL) and (hop\$4 with count\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:41
L16	3	((embedded with operation with channel) or EOC) and (hop\$4 with count\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:49
L17	1	(embedded with operation with channel) and (hop\$4 with count\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:42
L18	1	(embedded with operation with channel) and (hop\$4 with count\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:49
L19	41	(embedded with operation with channel) and hop\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:50
L20	1	(embedded with operation with channel) and hop\$4 same count\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:50
L21	2	((high with digital with subscriber with line) or HDSL) with hop\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:54
L22	7	((high with digital with subscriber with line) or HDSL) same hop\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:56
L23	2	((high with digital with subscriber with line) or HDSL) and count\$3 with (repeater or doubler)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:57

L24	9	((high with digital with subscriber with line) or HDSL) and hop\$4 with (repeater or doubler)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:57
L25	421	((high with digital with subscriber with line) or HDSL) and (repeater or doubler)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:58
L26	87	((high with digital with subscriber with line) or HDSL) with (repeater or doubler)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:58
L27	1	((high with digital with subscriber with line) or HDSL) with (repeater or doubler) with (embedded with operation with channel)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:58
L28	1	((high with digital with subscriber with line) or HDSL) with (repeater or doubler) same (embedded with operation with channel)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 09:58
L29	12	((high with digital with subscriber with line) or HDSL) with (repeater or doubler) and (embedded with operation with channel)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/20 10:03